

Buckeye® 21% Broiler Starter-Finisher

10350

TYPE OF FEED Complete (Medicated)

FORM OF FEED: Crumbles

PACKAGING: 50 lb Paper Bags

SPECIES: Poultry

AGES: Day old to 5 weeks



FEATURES:

- Medicated with Lasalocid (Avatec) for prevention of coccidiosis caused by *Eimeria tenella*, *Eimeria necatrix*, *Eimeria acervulina*, *Eimeria brunetti*, *Eimeria mivati*, and *Eimeria maxima*
- No withdrawal is required because Lasalocid is confined to the alimentary canal of the bird
- A 21% protein pelleted crumble for starting rapidly growing broiler chicks for the first 8 weeks of life
- May be fed to chicks of the lighter breeds for the first five weeks of life to help them get a faster start
- Fortified with high levels of minerals and vitamins to support rapid growth

GUARANTEED ANALYSIS

Lasalocid	90.7 g/ton
Crude Protein, min.	21.00%
Lysine, min.	1.10%
Methionine, min	0.49%
Crude Fat, min.	3.50%
Crude Fiber, max.	4.00%
Calcium, min.	0.70%
Calcium, max.	1.20%
Phosphorus, min.	0.60%
Salt, min.	0.20%
Salt, max.	0.70%

INGREDIENTS: Ground Corn, Soybean Meal, Porcine Meat Meal, Wheat Middlings, Corn Gluten Meal, Alfalfa Meal, Animal Fat (preserved with mixed tocopherols), DL-Methionine, Calcium Carbonate, Calcium Phosphate, Salt, Manganous Oxide, Ferrous Sulfate, Copper Sulfate, Zinc Oxide, Ethylenediamine Dihydriodide, Cobalt Carbonate, Sodium Selenite, Vitamin A Supplement, Vitamin D3 Supplement, Vitamin E Supplement, Menadione Dimethylpyrimidinol Bisulfite (source of Vitamin K Activity), Riboflavin Supplement, d-Calcium Pantothenate, Niacin Supplement, Vitamin B-12 Supplement, Choline Chloride, Folic Acid, Pyridoxine Hydrochloride, Thiamine Mononitrate, d-Biotin, Ethoxyquin (a preservative).

FEEDING DIRECTIONS: See Second Page

Buckeye® 21% Broiler Starter-Finisher

FEEDING DIRECTIONS:

Feed as the sole ration to broiler chicks (e.g. heavy breeds) from hatching to eight weeks of age or market. They may then be fed Buckeye® 18% Miracle-Starter Crumbles. Chicks of the lighter breed (e.g. Leghorns) may also be started on Buckeye 21% Broiler Starter Crumbles for the first five weeks of age for an added boost before changing to Buckeye® 18% Miracle Starter - Grower Crumbles. Have clean, fresh water available for the chicks at all times. Keep the birds in a clean, well-ventilated dry environment, which is free of drafts.

At eight weeks of age broilers should weigh between 6 and 7 pounds. This will require about 15 lb of Buckeye® 21% Broiler Starter – Finisher Crumbles per bird. These values for the rate of gain and the amount of feed required to obtain these weights are very dependent on the strain of birds, environment, general health and condition of the birds.

If a non-medicated starter is desired, feed Buckeye® 18% Miracle Starter - Grower, but be aware of problems associated with feeding a lower protein diet to birds of the heavy breeds.