

# Buckeye® 28% Turkey Starter

# 11250

TYPE OF FEED Complete (medicated)  
FORM OF FEED: crumbles  
PACKAGING: 50 lb Paper Bags  
SPECIES: Turkeys  
AGES: From hatching to 8 weeks of age



---

## FEATURES:

- Medicated with Lasalocid (Avatec) for prevention of coccidiosis caused by *Eimeria meleagrimitis*, *Eimeria gallapavonis* and *Eimeria adenoides*.
- A high protein pelleted crumble for starting young turkeys
- Fortified with high levels of minerals and vitamins to support rapid growth
- Lasalocid (Avatec), is an ionophore to control coccidiosis outbreaks
- No withdrawal is required because Lasalocid is confined to the alimentary canal of the bird

## GUARANTEED ANALYSIS

Lasalocid	90.7 g/ton
Crude Protein, min.	28.00%
Lysine, min.	1.60%
Methionine, min	0.55%
Crude Fat, min.	3.50%
Crude Fiber, max.	4.00%
Calcium, min.	1.00%
Calcium, max.	1.50%
Phosphorus, min.	0.90%
Salt, min.	0.10%
Salt, max.	0.60%

**INGREDIENTS** Ground Corn, Soybean Meal, Porcine Meat and Bone Meal, Wheat Middlings, Corn Gluten Meal, Animal Fat (preserved with mixed tocopherols, citric acid and rosemary extract), DL-Methionine, Lysine, Calcium Phosphate, Calcium Carbonate, Salt, Manganous Oxide, Ferrous Sulfate, Copper Sulfate, Zinc Sulfate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D<sub>3</sub> Supplement, Vitamin E Supplement, Menadione Sodium Bisulfite Complex (source of Vitamin K Activity), Riboflavin Supplement, d-Calcium Pantothenate, Niacin Supplement, Vitamin B-12 Supplement, Choline Chloride, Folic Acid, d-Biotin, Pyridoxine Hydrochloride, Thiamine Mononitrate.

**WARNING STATEMENT:** For growing turkeys only. The safety of lasalocid for use in unapproved species has not been established. Do not allow horses or other equines access to feed containing lasalocid as ingestion may be fatal.

**LIMITATIONS FOR USE:** Feed continuously as sole ration.

**FEEDING DIRECTIONS:** See Second Page

## **Buckeye® 28% Turkey Starter**

FEEDING DIRECTIONS: Feed Buckeye® Turkey Starter as the sole ration until the young poults are eight weeks of age. When the poults are eight weeks of age make a gradual feed change to Buckeye® Big 4 Pellets. This should be done by mixing Buckeye® Turkey Starter Crumbles and Buckeye® Big 4 Pellets at the rate of 50:50 for a two week period and on the tenth week the poults should be receiving only Buckeye® Big 4 Pellets. Have clean, fresh water available for the young poults at all times. Keep the birds in a clean, well-ventilated, and dry environment free of drafts. Also reduce possible stress in the young growing poults by allowing adequate room for the birds along with optimum room temperature.

At ten weeks of age the toms should weigh approximately 13 lb and the hens about 9.5 lb. The amount of feed required to obtain this growth is about 25 lb for the toms and 20 lb for the hens. These values for the rate of gain and the amount of feed required to obtain these weights is very dependent on the strain of birds, environment, general health and condition of the birds.