

Buckeye® Calf Supplement Pellets

40150

TYPE OF FEED Concentrate

FORM OF FEED: Pellets

PACKAGING: 50 lb Paper Bag

SPECIES: Calves

AGES: young (1 to 30 weeks)



FEATURES:

- High quality calf concentrate pellet to be used in making calf feeds
- Can be used as a top dressing where high moisture corn is being fed
- Contains protein, minerals and vitamins to aid in the development of the rapidly growing calf when mixed with grain
- Medicated with 61.4 mg per pound of Bovatec (Lasalocid) to improve performance and control specific strains of coccidiosis when fed at the rate of 1 mg per 2.2 lb of body weight. There is no feed withdrawal.

GUARANTEED ANALYSIS

Crude Protein, min.	30.0%
Crude Fat, min.	2.50%
Crude Fiber, max.	6.00%
Acid detergent fiber, max.	9.00%
Calcium, min.	1.80%
Calcium, max.	2.30%
Phosphorus, min.	1.00%
Salt, min.	1.00%
Salt, max.	1.50%
Potassium	1.20%
Selenium, min.	1.80 ppm
Vitamin A, min.	18,000 IU/lb
Vitamin D, min.	3500 IU/lb
Vitamin E, min.	22 IU/lb

INGREDIENTS: Plant Protein Products, Processed Grain By-Products, Roughage Products, Calcium Phosphate, Calcium Carbonate, Salt, Potassium Sulfate, Magnesium Sulfate, Manganous Oxide, Ferrous Carbonate, Ferrous Sulfate, Copper Sulfate, Zinc Oxide, Cobalt Carbonate, Ethylenediamine Dihydriodide, Sodium Selenite, Vitamin A Supplement, Vitamin D-3 Supplement, Vitamin E Supplement, Riboflavin Supplement, Niacin, d-Calcium Pantothenate, Vitamin B-12 Supplement, Choline Chloride.

WARNING: A withdrawal period has not been established for this product in pre-ruminating cattle. Do not use in calves to be processed for veal.

CAUTION: Feeding undiluted or mixing errors may result in an excess Lasalocid concentration which could be fatal to cattle and sheep. Do not allow horses or other equines access to feeds containing Lasalocid as ingestion may be fatal. Safety of Lasalocid for use in unapproved species has not been established.

FEEDING DIRECTIONS: See Second Page

Buckeye® 30% Calf Supplement Pellets

FEEDING DIRECTIONS: At one week of age the young calf should be encouraged to consume a well-fortified grain ration containing between 16 and 18% protein. The starter feed should be kept fresh and fed free choice until the calf is 12 weeks old. At this time the calf may be introduced to a calf grower ration which should be fed at between 1 and 2% of body weight. If desired, high quality hay can be offered at the beginning of the third week. The amount of hay consumed is not extremely critical during the first 4 weeks but is important thereafter as the calf begins to ruminate. At 12 weeks of age, the calf should have free choice access to excellent quality hay. Maintain a supply of clean, fresh water available to the calf at all times. If you do not have your own grain, then Buckeye® 18% Calf Starter, Complete Calf Ration, or Complete Calf Pellets can be fed.

At 6 to 8 months of age change to the Buckeye® 32% Calf Grower Supplement program with Lasalocid or 38% Dairy Supplement.

0101

APPROXIMATE AMOUNTS OF GRAIN THAT CALVES CAN BE EXPECTED TO CONSUME*

STARTER RATION	2 Months of age - 3 lb. daily
	3 Months of age - 4 lb. daily
GROWER RATION	4 Months of age - 5 lb. daily
	5 Months of age - 6 lb. daily

*Feed slightly more or less according to the calf's condition.

SUGGESTED MIXING FORMULAS UTILIZING BUCKEYE® 30% CALF SUPPLEMENT

Pounds Per Ton

<u>INGREDIENTS</u>	<u>STARTER</u>	<u>GROWER</u>	
	<u>1 TO 3 MO.</u>	<u>4 To 6 Month of Age</u>	
Cracked Corn, 7.6% Protein	620	895	970
Oats, 10% Protein	600	400	400
B. 30% Calf Supplement	700	625	550
Molasses	80	80	80
	2000	2000	2000
Crude Protein, %	16.1%	15.0%	14.2%
Crude Fat, %	3.4%	3.3%	3.3%
Crude Fiber, %	6.3%	5.4%	5.2%
Acid Det. Fiber (ADF), %	7.9%	6.8%	6.5%
Calcium, %	0.72%	0.64%	0.57%
Phosphorus, %	0.54%	0.50%	0.47%
Salt, %	0.35%	0.31%	0.27%
Potassium, %	0.81%	0.75%	0.72%
Selenium, ppm	0.60 ppm	0.56 ppm	0.50 ppm
Vitamin A, IU/Lb.	6300 IU	5600 IU	5000 IU
Lasalocid mg/lb	21.5	19.2	16.9